

## NVR Commander Desktop Computer

**EE-IPC-10122**  
**EE-IPC-90001**



### Key Features

- Suggested for use with 5 to 15 camera EAGLE EYE DETEXI NVR systems, sold separately
- An ultra-high-performance workstation that is designed to maximize performance and scalability in an innovative, customer driven chassis design
- 64-bit Dual-core Xeon processor and 2GB of SDRAM will easily handle the NVR responsibilities of a small to medium sized video surveillance system
- 256MB Video Card with VGA and DVI support allows this server to also act as a live and historical video client if necessary
- Space for up to (5) hard drives: base hard drive plus (4) additional, for local video storage
- Includes Keyboard, Mouse, and 19" LCD Monitor

### Technical Specifications

<b>Processor</b>	(1) Dual-Core Intel® Xeon® 5150 2.66GHz 1333MHz Front Side Bus 4MB L2 Cache 65 watts
<b>Operating System</b>	Genuine Windows XP Professional Service Pack 2
<b>Memory</b>	2GB DDR2 ECC SDRAM 667MHz 2 x 1GB in Riser
<b>Graphics Card</b>	NVIDIA Quadro® FX 3450 256MB VGA or DVI Supports 1 dual link connection
<b>Hard Drive</b>	80GB SATA 3.0Gb/s 7200RPM 8MB DataBurst Cache
<b>Hard Drive Controller</b>	Up to 5 total hard drives Integrated LSI 1068 SATA/SAS 3.0Gb/s controller Supports RAID 0,1 (not configured)
<b>CD/DVD-ROM</b>	16X DVD+/-RW Cyberlink PowerDVD Roxio Digital Creator
<b>Chassis (W x H x D)</b>	Without stand, includes feet 8.5" x 22.26" x 22.3" 21.59cm x 56.54cm x 56.6cm With stand, includes feet 12.8" x 22.26" x 22.3" 32.5cm x 56.54cm x 56.6cm
<b>Network Interfaces</b>	Embedded Intel® Gigabit Ethernet NIC Additional Broadcom® Gigabit Ethernet NIC
<b>Slots</b>	3 PCI-e x8 slot wired as x4 1 PCI-e x16 graphics slot 2 PCI-e x16 slots 2 PCI-X 64bit/100MHz slots with support for 3.3v or universal cards 1 PCI 32bit/33MHz slot

### Technical Specifications (cont.)

<b>Power</b>	1000 watt power supply
<b>Bays</b>	4 internal 3.5" hard disk drive bays 3 external 5.25" optical bays, one of which can accommodate a fifth HDD 1 external 3.5" flex bay for floppy or media card reader
<b>Standard I/O Ports</b>	8 USB 2.0: two on front panel, five on back panel, one internal on motherboard 2 IEEE 1394a: one front, one rear 2 serial, 1parallel, 2 PS/2, 2 RJ-45, Stereo line-in and headphone line-out (on back panel) Microphone and headphone connector (on front panel)

### Additional Hard Drives (Optional) *EE-IPC-19001*

**EE-IPC-90001:** 500 GB SATA 7200 RPM Hard Drive  
*Note: 4 Additional Maximum*

**Connection – Detection - Response**